

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: FLiPPER (PCS No 05027)

CROPS: [Indoor grown: Aubergine, gherkin & peppers]

For this EAMU the following crop definitions apply:

Peppers includes chilli peppers.

This approval provides for the use of the product **Flipper (PCS No 05027)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 18.04.18. [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	FLiPPER
<i>Active Substance:</i>	Fatty acids (Potassium salts)
<i>Formulation:</i>	479.8g/l EW
<i>Authorisation Holder:</i>	Alpha BioPesticides Limited
<i>Marketing Company:</i>	Alpha BioPesticides Limited
<i>PCS No:</i>	05027
<i>User type/Function:</i>	Professional Use Only / Insecticide & acaricide.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
[Indoor grown: Aubergine, gherkin & pepper]	1.6 l per 100 L water. To a max of 16 l/ha	5 per crop	80 l/ha	7 days	n/a	Whitefly, aphid & 2 spotted spider mite

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application may be applied by: Knapsack/handheld sprayer, tractor mounted boom sprayer, specialised application equipment & gantry sprayer only.
- (4) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) This product must not be used in polytunnels or other non-permanent structures.
- (6) Treatment must only be made under 'permanent protection' situations which provide full enclosure (including continuous top and side barriers down to below ground level) and which are present and maintained over a number of years.
- (7) Reasonable precautions must be taken to prevent access of birds, wild mammals and honey bees to treated crops.
- (8) To minimise airborne environmental exposure, vents, doors and other openings must be closed during and after application until the applied product has fully settled.
- (9) For environmental information refer to the product label.
- (10) This approval extends to professional use only.
- (11) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (12) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of FLiPPER as a horticultural insecticide and acaricide for use on the crops and situation above for the Preventative control of Whitefly (*Trialeurodes vaporariorum*, *Bemisia tabaci*, *Aleurothrixus floccosus*), aphid (*Myzus persicae*, *Macrosiphum euphorbiae*, *Aphis gossypii*) and two-spotted mite (*Tetranychus urticae*)

Resistance Management:

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in rotation with pesticides from different cross-resistant groups, different mode of action with satisfactory efficacy against the target.

FLiPPER contains Fatty acids (Potassium salts C14-C20).

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.