

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Flexidor (PCS No. 04963)

CROPS:

Outdoor grown: Bulb onion, shallot, leek, garlic, chicory, carrot, rhubarb, horseradish & parsnip

This approval provides for the use of the product **Flexidor (PCS No. 04963)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 07.01.19. [Includes latest changes. This version should be used until updated]

| | |
|------------------------------|-----------------------------------|
| <i>Product name:</i> | Flexidor |
| <i>Active Substance:</i> | Isoxaben |
| <i>Formulation:</i> | 500g/L SC |
| <i>Authorisation Holder:</i> | Dow AgroSciences Ltd |
| <i>Marketing Company:</i> | Dow AgroSciences Ltd |
| <i>PCS No:</i> | 04963 |
| <i>User type/Function:</i> | Professional Use Only / Herbicide |

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Application:

| Crop | Max. individual dose | Max. number of applications | Max. total dose | Minimum interval between applications | Latest time of application | Target |
|-------------------------------|----------------------|-----------------------------|-----------------|---------------------------------------|---|------------|
| Bulb onion, shallot, garlic | 0.2 l/ha | 1 | 0.2 l/ha | n/a | Pre-planting or pre-emergence | See below* |
| Leek | 0.3 l/ha | 1 | 0.3 l/ha | n/a | Pre-planting or sowing | See below* |
| Carrot, horseradish & parsnip | 0.15 l/ha | 1 | 0.15 l/ha | n/a | Pre-emergence | See below* |
| Rhubarb | 0.4 l/ha | 1 | 0.4 l/ha /year | n/a | During dormant stage before start of new growth | See below* |
| Chicory | 0.2 l/ha | - | 0.2 l/ha | n/a | Before GS 16 | See below* |

* Charlock, Ivy-leaved speedwell, Common chickweed, Knotgrass, Common field-speedwell, Parsley-piert, Common fumitory, Pineapple weed, Common hemp-nettle, Red dead-nettle, Common mouse-ear, Redshank, Common poppy, Scarlet pimpernel, Corn marigold, Scented mayweed, Corn spurrey, Scentless mayweed, Fat-hen, Shepherd's-purse, Field forget-me-not, Small nettle, Field pansy, Volunteer rape, Green field-speedwell, Wild radish and to improve control of groundsel.

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted/trailed sprayer only.
- (4) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) For environmental information refer to the product label but specifically: To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies from tractor mounted/trailed sprayers. Aim spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (6) This approval extends to professional use only.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

- (7) A period of at least 180 days must be observed prior to planting of succeeding crops following treatment of the plot with 'Flexidor' or any other product containing the active substance isoxaben.
- (8) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (9) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of Flexidor as a horticultural herbicide on the above crops for the control of Charlock, Ivy-leaved speedwell, Common chickweed, Knotgrass, Common field-speedwell, Parsley-piert, Common fumitory, Pineapple weed, Common hemp-nettle, Red dead-nettle, Common mouse-ear, Redshank, Common poppy, Scarlet pimpernel, Corn marigold, Scented mayweed, Corn spurrey, Scentless mayweed, Fat-hen, Shepherd's-purse, Field forget-me-not, Small nettle, Field pansy, Volunteer rape, Green field-speedwell, Wild radish and to improve control of groundsel. Apply in a minimum of 200 litres of water/ha.

Resistance Management:

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in conjunction with other herbicides from different cross-resistant groups [different mode of action, HRAC group] with satisfactory efficacy against the target.

Flexidor contains Isoxaben

Isoxaben is classed HRAC group: L.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.