
## Ballyhaise Weekly Farm Notes – Monday 10/10/2011

## A. Critical Issues

- 1. Maintain residual at 3.5cm.
- 2. Continue building autumn grass covers.
- 3. 12 hr allocation of grass.

## B. On farm situation

- 1. Average growth was 41kg DM/ha/day, (12% DM).
- 2. Demand is 32kgDM/ha/day (3.23 SR \* 10 kg DM /cow / day).
- 3. Feeding 3kg concentrate and 2kg of bale silage to hold rotation length.
- 4. Average soil temperature for the past week was 14°C.
- 5. Total rainfall for the past week was 25 mm.
- 6. Farm feed wedge (10/10/11).



- 7. Growth rate this week was 41kg DM / ha which is above demand of 32kg DM / ha. The blue line on the graph is the target farm cover, the red line represents the actual cover and the yellow dots are the predicted cover for the next two weeks at a predicted growth rate of 40 kg DM / ha / day. AFC is 919 kg DM / ha which is behind the target of 1100 kg DM / ha. We have started feeding 3kg of concentrate and 2kg of silage to prevent the farm cover from dropping too fast. The cull cows will be sold over the few weeks to help drop demand further.
- 8. The first paddocks were closed for next spring last weekend, 6<sup>th</sup> of October. Over the next three weeks 60% of the area will be grazed and closed for winter. These will be the first paddocks to be grazed next spring
- 9. Current rotation length is 50 days this means that the cows are grazing 1/50<sup>th</sup> of the available area per day (0.38ha).

- 10. Ground conditions have deteriorated this week so grass is being allocated in 12 hr blocks to minimise poaching damage. Very heavy rain over the past few days has left even the dry paddocks very wet and prone to poaching. We have started on-off grazing to help protect paddocks from excessive damage. The cows are being stood off on the pad. Since the grazing conditions have been so poor we have been allocating 2 kg less grass for the evening grazing and 2 kg DM of bale silage is fed out along the barrier when they come in at 7 o'clock.
- 11. Total grass grown to date is 13.8 tons DM / ha.
- 12. Average post grazing residual for the week was 3.8cm.
- 13. There have been 17 clinical cases of mastitis since calving started, 6 of these were first calving heifers. There were no new cases of mastitis this week.
- 14. Started breeding season on the  $10^{th}$  of May with the milking cows. Submission rate for the first 24 days of breeding was 93%. Bulls used were-FR MWW, WNE, WDS, MJD.
  - JE SYI, HWY, WFM, RVW, PKU, TIO.
- 15. The stock bulls were removed on the 7<sup>th</sup> of August (13 week breeding period).
- 16. The whole herd was scanned in September. The empty rate was 20% after 13 weeks of breeding, which is too high, 72% are in calf to AI in 8 weeks and the rest are in calf to stock bulls. The maiden heifers were also scanned, there were 2 empty out of 30 and 24 were in calf to AI in the first 3 weeks.
- 17. Average milk yield is 15 kg at 5.04% fat and 3.98% protein (1.35kg MS/cow), lactose 4.71%, SCC 219k, TBC 9k.

## **C.** Critical short term actions:

- Allocating grass in 12hr blocks.
- On/off grazing.
- Feeding 3kg concentrate and 2kg of bale silage.
- Grazing 1/50<sup>th</sup> of area per day.
- Monitor condition score.

www.agresearch.teagasc.ie/moorepark/



Week:09/10/11	HG system	HS system
Stocking rate (cows/ha)	3.1	4.6
Milk yield (kg/cow/day)	15.0	14.59
% Fat	5.04	5.18
% Protein	3.98	3.89
% Lactose	4.71	4.72
Milk solids (kg/cow/day)	1.35	1.31
Supplement (kg/cow/day)		
Concentrate	1	3
Silage	0	6
Cumulative		
Milk yield (kg/cow)	4310	4207
% Fat	4.54	4.57
% Protein	3.61	3.56
% Lactose	4.83	4.82
Milk solids kg / cow (kg / ha)	350 (1099)	340 (1564)
Bodyweight (kg)	488	489
Body Condition Score	2.92	2.94
Supplement (kg/cow)		
Concentrate	393	557
Silage to milking cows (kg DM/cow)	77	252
Maize (kg DM/cow)	0	0
Conserved silage (kg DM/cow)	784	189
Total silage fed ( kg DM/cow)	1100	1400