

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Sequoia (PCS No. 05915)

CROPS: (Indoor grown: Strawberry)

This approval provides for the use of the product **Sequoia (PCS No. 05915)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 09.04.18. [Includes latest changes. This version should be used until updated]

Product name: Sequoia
Active Substance: Sulfoxaflor
Formulation: 120g/L SC
Authorisation Holder: Dow AgroSciences Ltd
Marketing Company: Dow AgroSciences Ltd
PCS No: 05915
User type/Function: Professional Use Only / Insecticide.

Application:

Crop	Max. Individual dose	Max. Number of applications	Max. Total dose	Minimum interval between applications	Latest time of application, PHI	Target
Indoor grown strawberries	200 ml/ha	2 per crop	400ml/ha	7 days	1 day before harvest	Aphid

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Post application no unprotected person should enter the treated area until the application had dried & the area has been well ventilated.
- (4) This approval extends to professional use only.
- (5) Application may be made via single nozzle lance or boom sprayer only.
- (6) To protect wild pollinators, the structure covering the crops should be closed during the application and for a period after application.
- (7) Dangerous to bees. Do not use when bees are actively foraging.
- (8) Avoid any exposure of beneficials and pollinators. Protect or remove pollinators' colonies during application and for the five days following application.
- (9) Respect a 2 month delay before introducing beneficials after application. (Depending on the species of beneficial, a reduced re-entry interval may be possible. Please consult your supplier or advisor).
- (10) For environmental information refer to the product label.
- (11) For operator protection refer to the product label in conjunction with the specific restrictions above and specifically: Operators must wear suitable protective coveralls and gloves when handling the product. Operators must wear suitable protective gloves and coveralls when handling contaminated surfaces or when making a knapsack application.
- (12) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to use of Sequoia as a horticultural insecticide for the control of aphid species (see product label) on the crops and situations listed above.

Resistance Management:

Sequoia containing *Sulfoxaflor* is classed as follows: IRAC group 4C

Use as part of an Integrated Resistance Management strategy. Rotate the use between insecticides with different modes of action (IRAC groups) showing good efficacy on the target.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.